

# D-MAX

## Crew Cab Specifications



**ISUZU**  
*With you, for the long run*



## 250 HO BASE

## 250 HO BASE (#1)

## 250 HO MID (A/BAG)

## DOUBLE CAB

## 4X4 M/T

## 4X4 M/T

## 4X4 A/T

## ENGINE

Displacement (cc)	2 499	2 499	2 499
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard

## FUEL CONSUMPTION

Fuel Type	Diesel	Diesel	Diesel
-----------	--------	--------	--------

## TRANSMISSION

Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.008	4.008	3.520
Gear Ratio: 2nd	2.301	2.301	2.042
Gear Ratio: 3rd	1.427	1.427	1.400
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.744	0.716
Gear Ratio: Reverse	3.651	3.651	3.224
4WD Selector Switch	Standard	Standard	Standard
Low Range Ratio	2.482	2.482	2.482

## FRONT DIFFERENTIAL

Shift on the Fly up to 100 km/h	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100

## REAR DIFFERENTIAL

Differential Lock	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100

## CHASSIS DESIGN

Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twin-Tube Gas Pressurised (Heavy-Duty)	Twin-Tube Gas Pressurised (Heavy-Duty)	Twin-Tube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	Standard	Standard	Standard

## WHEELS / TYRES

Tyre Size	245 / 70 R16	245 / 70 R16	245 / 70 R16
Wheel Size / Type	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8

300 LS	300 LS (#1)	300 LS	300 LS (#1)
4X4 M/T	4X2 A/T	4X4 M/T	4X4 M/T
2 499	2 499	2 499	2 499
4	4	4	4
17.3:1	17.3:1	17.3:1	17.3:1
95.4 x 104.9	95.4 x 104.9	95.4 x 104.9	95.4 x 104.9
16	16	16	16
100 @ 3 200	100 @ 3 200	100 @ 3 200	100 @ 3 200
380 @ 1 800 – 2 200	380 @ 1 800 – 2 200	380 @ 1 800 – 2 200	380 @ 1 800 – 2 200
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	5-Speed Automatic	5-Speed Automatic
4.332	4.332	3,520	3,520
2.560	2.560	2,042	2,042
1.492	1.492	1,400	1,400
1.000	1.000	1.000	1.000
0.791	0.791	0.716	0.716
3.947	3.947	3.224	3.224
Standard	Standard	Standard	Standard
2.482	2.482	2.482	2.482
-	-	-	-
3.727	3.727	3.727	3.727
-	-	-	-
3.727	3.727	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twin-Tube Gas Pressurised (Heavy-Duty)	Twin-Tube Gas Pressurised (Heavy-Duty)	Twin-Tube Gas Pressurised (Heavy-Duty)	Twin-Tube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
255 /60 R18 AT	255 /60 R18 AT	255 /60 R18 AT	255 /60 R18 AT
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
18" X 6.5J Steel	18" X 6.5J Steel	18" X 6.5J Steel	18" X 6.5J Steel
12.8	12.8	12.8	12.8



250 HO BASE

250 HO BASE (#1)

250 HO MID (A/BAG)

**DOUBLE CAB**

4X4 M/T

4X4 M/T

4X4 A/T

**DIMENSIONS**

Length (mm)	5 294	5 294	5 294
Width (mm)	1 860	1 860	1 860
Height (mm)	0	1 790	1 790
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	225
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600

**MASS / CAPACITIES**

Gross Axle Mass - Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass - Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	2 950	2 950	3 000
Gross Combined Mass (GCM) (kg)	4 950	4 950	5 000
Tare Mass (kg)	TBD	1 905	1 990
Payload (kg)	TBD	986	951
Fuel Tank Capacity (Litres)	80	80	80

**LOADBOX FEATURES**

Loadbox Length (mm)	1 485	1 485	1 485
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Load Restraint Tiedown Brackets	4	4	4

**SAFETY FEATURES**

Load-Sensing Proportioning Valve (LSPV)	Standard	Standard	-
Anti-Lock Braking System (ABS)	-	-	Standard
Electronic Brake-Force Distribution (EBD)	-	-	Standard
Brake-Assist System (BAS)	-	-	Standard
Electronic Stability Control (ESC) with Traction Control	-	-	-
Hill-Start Assist (HSA)	-	-	-
Hill Descent Control (HDC)	-	-	-
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	-	Standard	Standard
Fixed Rear Seatbelts (3-Point)	Standard	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	-	Standard	Standard
Front Seat Side Airbags	-	-	-
Curtain Airbags	-	-	-

300 LS	300 LS (#1)	300 LS	300 LS (#1)
4X4 M/T	4X2 A/T	4X4 M/T	4X4 M/T
5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301
225	225	225	225
30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
3 000	3 000	3 000	3 000
5 000	5 000	5 000	5 000
1 990	1 990	2 010	2 010
951	951	931	931
80	80	80	80
1 485	1 485	1 485	1 485
1 535	1 535	1 535	1 535
470	470	470	470
4	4	4	4
-	-	-	-
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard

**DOUBLE CAB**
**4X4 M/T**
**4X4 M/T**
**4X4 A/T**
**SAFETY FEATURES**

<b>Side-Impact Protection Bars</b>	Standard	Standard	Standard
<b>Collapsible Steering Column</b>	Standard	Standard	Standard
<b>Speed-Sensitive Door Lock</b>	-	-	Standard
<b>ISOFIX Child Seat Attachment</b>	-	-	-
<b>Parking Distance Sensors</b>	-	-	-
<b>Rear View Camera</b>	-	-	-
<b>Warning Triangle Kit</b>	Standard	Standard	Standard

**SECURITY FEATURES**

<b>Remote-Controlled Central Locking</b>	-	-	Standard
<b>Remote Keyless Entry</b>	-	-	Standard
<b>Passive Entry Start System (PESS)</b>	-	-	-
<b>Childsafe Rear Door Locks</b>	Standard	Standard	Standard
<b>Anti-Theft Alarm System</b>	-	-	-
<b>Transponder Immobiliser System</b>	Standard	Standard	Standard

**INTERIOR / EXTERIOR LIGHTING**

<b>Front Reading Lamps</b>	-	-	-
<b>Interior Courtesy Lamps</b>	Standard	Standard	Standard
<b>Illuminated Entry</b>	-	-	Standard
<b>Front Fog Lights</b>	Standard	Standard	Standard
<b>Daytime Running Lights (DRL)</b>	-	-	-
<b>Headlights</b>	Halogen	Halogen	Halogen
<b>Headlights Levelling</b>	-	-	-
<b>Headlights 'ON' Warning Buzzer</b>	Standard	Standard	Standard
<b>Side Indicator Lights on Doors</b>	Standard	Standard	Standard
<b>Rear Taillights - Combination</b>	Bulb	Bulb	Bulb
<b>High-Mounted Centre Stoplight</b>	Standard	Standard	Standard

**EXTERIOR FEATURES**

<b>Wipers</b>	Intermittent	Intermittent	Intermittent
<b>Radiator Grille - Colour</b>	Grey	Grey	Grey
<b>Front Bumper - Colour</b>	Black	Body Colour	Body Colour
<b>Front Fog Lamp Bezels</b>	-	-	-
<b>Rear Bumper - Colour</b>	-	Black	Black
<b>Exterior Door Handles - Colour</b>	Black	Black	Black
<b>Exterior Mirrors</b>	Black - Manual Adjustment	Black - Power Adjustment	Black - Power Adjustment
<b>B-Pillar Blackout</b>	-	-	-
<b>Side-Steps</b>	-	-	-
<b>Mudflaps</b>	Front & Rear	Front & Rear	Front & Rear
<b>Tailgate Handle</b>	Black	Black	Black





250 HO BASE

250 HO BASE (#1)

250 HO MID (A/BAG)

**DOUBLE CAB**

**4X4 M/T**

**4X4 M/T**

**4X4 A/T**

**INTERIOR FEATURES**

<b>Power-Assisted Steering (PAS)</b>	Hydraulic	Hydraulic	Hydraulic
<b>Air-Conditioner</b>	Manual	Manual	Manual
<b>Pollen Filter</b>	Standard	Standard	Standard
<b>Inside Rear-View Mirror</b>	Day / Night	Day / Night	Day / Night
<b>Sunvisor</b>	Driver & Passenger Ticketholder	Driver & Passenger Ticketholder	Driver & Passenger Ticketholder
<b>Overhead Console with Map Lamps (x2) and Sunglasses Holder</b>	-	-	-
<b>Digital Clock</b>	Standard	Standard	Standard
<b>Cruise Control</b>	-	-	-
<b>Multi Information Display (MID)</b>	-	-	-
<b>Auxiliary 12-V Power Socket</b>	1	1	1
<b>Cigarette Lighter without Illumination</b>	Standard	Standard	Standard
<b>Lockable Glove Box</b>	Standard	Standard	Standard
<b>Utility Box on Glove Box</b>	Standard	Standard	Standard
<b>Steering Column Adjustment</b>	-	-	Tilt
<b>Steering Wheel Trim</b>	Urethane	Urethane	Urethane
<b>Steering Wheel Multi-Function Controls</b>	-	-	-
<b>Gearshift Trim</b>	Standard	Standard	Urethane
<b>Front Seat Configuration</b>	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
<b>Rear Seat Configuration</b>	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
<b>Seat Trim</b>	Cloth	Cloth	Cloth
<b>Seat Adjustment</b>	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
<b>Storage Pockets behind Front Seats</b>	-	Standard	Standard
<b>Door Trim with Storage Pockets and Integrated Cupholders</b>	Standard	Standard	Standard
<b>Interior Door Handles – Colour</b>	Black	Black	Black
<b>Interior Trim Colours</b>	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
<b>A-Pillar Assist Grips – Driver &amp; Passenger</b>	Standard	Standard	Standard
<b>Roof-Mounted Assist Grips</b>	Passengers	Passengers	Passengers
<b>Floor Trim</b>	Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
<b>Floor Tunnel / Console with Integrated Cupholder</b>	Standard	Standard	Standard
<b>Centre Console Storage Box with Lid</b>	Standard	Standard	Standard
<b>Driver Footrest</b>	Standard	Standard	Standard
<b>Rear Heater Duct</b>	Standard	Standard	Standard
<b>Window Operation</b>	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection	Power – Front & Rear with Driver One Touch, Jam Protection
<b>Rear Window</b>	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
<b>Fuelflap Remote</b>	Standard	Standard	Standard



300 LS	300 LS (#1)	300 LS	300 LS (#1)
4X4 M/T	4X2 A/T	4X4 M/T	4X4 M/T
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Automatic	Automatic	Automatic	Automatic
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	Standard
-	-	-	-
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
1	1	1	1
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard with Soft touch finish and Gloss Black Garnish Trim	Standard with Soft touch finish and Gloss Black Garnish Trim	Standard with Soft touch finish and Gloss Black Garnish Trim	Standard with Soft touch finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt	Tilt
Leather	Leather	Leather	Leather
Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Partial Leather	Partial Leather	Partial Leather	Partial Leather
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Chrome	Chrome	Chrome	Chrome
Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passengers	Passengers	Passengers	Passengers
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish	Standard	Standard with Soft-Touch Finish	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer	Power – Front & Rear with Driver One Touch, Jam Protection & Timer
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Standard	Standard	Standard	Standard

**DOUBLE CAB**
**4X4 M/T**
**4X4 M/T**
**4X4 A/T**
**INFOTAINMENT**

<b>Audio System</b>	Optional	Optional	Optional
<b>Audio Input Terminal: USB, Auxiliary, iPod</b>	Standard	Standard	Standard
<b>USB Port (Music Playback and Device Link)</b>	-	-	-
<b>USB charge port</b>			
<b>Speakers</b>	2	2	4
<b>Antenna</b>	Standard	Standard	Standard

**OPTIONS**

<b>18" Silver Diamond-Cut Alloy Wheels &amp; 255 / 60 R18 Tyres (AT)</b>	-	-	Available
<b>Sliding Rear Window</b>	Available	Available	Available
<b>Black Partial Leather Seats - Driver 6-Way Manual Adjustment</b>	Available	Available	Available
<b>AM/FM Radio, 8" Touchscreen, Bluetooth® - Audio Streaming &amp; Hands-Free Phone</b>	Available	Available	Available
<b>Roof Rails - Silver</b>	Available	Available	Available
<b>Roof Rails - Black</b>	Available	Available	Available
<b>Sportbar</b>	Available	Available	Available
<b>Metallic Paint</b>	Available	Available	Available

**WARRANTY & SERVICE INTERVALS**

<b>Warranty</b>	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
<b>Anti-Corrosion Warranty</b>	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
<b>Service Intervals</b>	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

300 LS	300 LS (#1)	300 LS	300 LS (#1)
4X4 M/T	4X2 A/T	4X4 M/T	4X4 M/T
AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard
Front	Front	Front	Front
Front and Rear	Front and Rear	Front and Rear	Front and Rear
8	8	8	8
Standard	Standard	Standard	Standard
-	-	-	-
Available	Available	Available	Available
-	-	-	-
-	-	-	-
Available	Available	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

**Notes:**

The information herein is provided as a guide only. Specification is subject to change at any time. Please contact your nearest dealer to confirm current specification. Errors & Omissions Excepted. Model/s shown may differ. Date of Publication 2020.