

ISUZU

*Extended Cab
Specifications*



**THERE'S
WORK
TO DO**

ISUZU

With you, for the long run

EXTENDED CAB
4X2 M/T
4X2 A/T
4X2 M/T
ENGINE

Displacement (cc)	2 499	2 499	2 999
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	17.3:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 104.9
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	130 @ 3 600
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard

FUEL CONSUMPTION

Combined Cycle (l/100 km)	7.6	8.1	7.7
Combined CO₂ Emissions (g/km)	199	214	203
Fuel Type	Diesel	Diesel	Diesel

TRANSMISSION

Transmission Type	5-Speed Manual	5-Speed Automatic	6-Speed Manual
Gear Ratio: 1st	4.008	3.520	4.942
Gear Ratio: 2nd	2.301	2.042	2.430
Gear Ratio: 3rd	1.427	1.400	1.428
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.716	0.749
Gear Ratio: 6th	-	-	0.634
Gear Ratio: Reverse	3.651	3.224	4.597
4WD Selector Switch	-	-	-
Low Range Ratio	-	-	-

FRONT DIFFERENTIAL

Shift on the Fly up to 100 km/h	-	-	-
Axle Ratio: Final Drive	-	-	-

REAR DIFFERENTIAL

Differential Lock	Optional	Optional	Standard
Axle Ratio: Final Drive	4.100	4.100	3.727

CHASSIS DESIGN

Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	-	-	-

WHEELS / TYRES

Tyre Size	245 / 70 R16	245 / 70 R16	255 / 60 R18
Wheel Size / Type	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	18" X 7.5J Alloy
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8

DIMENSIONS

Length (mm)	5 294	5 294	5 294
--------------------	-------	-------	-------

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

4X2 M/T	4X2 A/T	4X2 A/T	4X4 M/T	4X4 M/T
2 999	2 999	2 999	2 999	2 999
4	4	4	4	4
17.3:1	17.3:1	17.3:1	17.3:1	17.3:1
95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
16	16	16	16	16
130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600	130 @ 3 600
380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
TBD	7.5	TBD	8.0	TBD
TBD	198	TBD	211	TBD
Diesel	Diesel	Diesel	Diesel	Diesel
6-Speed Manual	6-Speed Automatic	6-Speed Automatic	6-Speed Manual	6-Speed Manual
4.942	3.600	3.600	4.942	4.942
2.430	2.090	2.090	2.430	2.430
1.428	1.488	1.488	1.428	1.428
1.000	1.000	1.000	1.000	1.000
0.749	0.678	0.678	0.749	0.749
0.634	0.580	0.580	0.634	0.634
4.597	3.732	3.732	4.597	4.597
-	-	-	Standard	Standard
-	-	-	2.482	2.482
-	-	-	Standard	Standard
-	-	-	3.727	3.727
Standard	Standard	Standard	Standard	Standard
3.727	3.727	3.727	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
-	-	-	Standard	Standard
255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18	255 / 60 R18
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8	12.8	12.8
5 294	5 294	5 294	5 294	5 294

EXTENDED CAB
4X2 M/T
4X2 A/T
4X2 M/T
DIMENSIONS

Width (mm)	1 860	1 860	1 860
Height (mm)	1 790	1 790	1 790
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 301	1 301	1 301
Ground Clearance (mm)	225	225	220
Loadbox Length (mm)	1 795	1 795	1 795
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	470	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.7	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600

MASS / CAPACITIES

Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	3 000	3 000	3 100
Gross Combined Mass (GCM) (kg)	5 000	5 000	6 000
Tare Mass (kg)	1 790	1 820	1 875
Payload (kg)	1 151	1 121	1 166
Towing Capacity (kg): Unbraked Trailer	750	750	750
Towing Capacity (kg): Braked Trailer	2 100	2 100	3 500
Fuel Tank Capacity (Litres)	80	80	80

LOADBOX FEATURES

Load Restraint Tiedown Brackets	4	4	4
--	---	---	---

SAFETY FEATURES

Anti-Lock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Trailer Sway Control	-	-	Standard
Brake Override System (BOS)	-	-	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	Standard	Standard	Standard
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	-	-	Standard
Park Distance Control (PDC)	-	-	Rear
Warning Triangle Kit	Standard	Standard	Standard

SECURITY FEATURES

Remote-Controlled Central Locking	Standard	Standard	Standard
--	----------	----------	----------

EXTENDED CAB
4X2 M/T
4X2 A/T
4X2 M/T

SECURITY FEATURES			
Remote Keyless Entry	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard
Ultrasonic Alarm System	-	-	Standard
Transponder Immobiliser System	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	-	-	Standard
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard
Front Fog Lights	-	-	Standard
Daytime Running Lights (DRL)	-	-	LED
Headlights	Halogen	Halogen	Bi-LED
Headlight Levelling	-	-	Manual
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard	-
Rear Taillights - Combination	Bulb	Bulb	LED
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Intermittent	Intermittent	Variable Intermittent
Radiator Grille - Colour	Grey	Grey	Chrome
Front Bumper - Colour	Body Colour	Body Colour	Body Colour
Front Fog Lamp Bezels	-	-	Chrome
Rear Bumper - Colour	Black	Black	Chrome
Towbar	Optional (2.1 T)	Optional (2.1 T)	Optional (3.5 T)
Exterior Door Handles - Colour	Black	Black	Chrome
Exterior Mirrors	Black - Power Adjustment	Black - Power Adjustment	Chrome - Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	-	-	Standard
Side-Steps	-	-	Standard - Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Black	Black	Chrome
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisors	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	-	-	Standard
Digital Clock	Standard	Standard	-
Cruise Control	-	-	Standard
Multi-Information Display (MID)	-	-	Standard
Dashboard Illumination Control	Standard	Standard	Standard
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard with Soft-Touch Finish and Gloss Black Garnish Trim

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

4X2 M/T	4X2 A/T	4X2 A/T	4X4 M/T	4X4 M/T
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
LED	LED	LED	LED	LED
Bi-LED	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Manual	Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard	Standard
-	-	-	-	-
LED	LED	LED	LED	LED
Standard	Standard	Standard	Standard	Standard
Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
Chrome	Chrome	Chrome	Chrome	Chrome
Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome	Chrome	Chrome	Chrome	Chrome
Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)	Optional (3.5 T)
Chrome	Chrome	Chrome	Chrome	Chrome
Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
Standard	Standard	Standard	Standard	Standard
Standard – Black	Standard – Black	Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Chrome	Chrome	Chrome	Chrome	Chrome
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
Standard	Standard	Standard	Standard	Standard
-	-	-	-	-
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
1	1	1	1	1
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim

EXTENDED CAB
4X2 M/T
4X2 A/T
4X2 M/T
INTERIOR FEATURES

Steering Column Adjustment	Tilt	Tilt	Tilt
Steering Wheel Material	Urethane	Urethane	Leather
Steering Wheel Multi-Function Controls	-	-	Audio & Auto Cruise
Gearshift Trim	-	-	Urethane with Silver Garnish Trim
Front Seat Configuration	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Seat Trim	Cloth	Cloth	Cloth
Seat Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard
Interior Door Handles – Colour	Black	Black	Chrome
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grips – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grip	Passenger	Passenger	Passenger
Floor Trim	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard with Soft-Touch Finish
Driver Footrest	Standard	Standard	Standard
Storage Box	-	-	Standard
Window Operation	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection & Timer
Rear Window	Fixed without Defogger	Fixed without Defogger	Sliding
Fuelflap Remote	Standard	Standard	Standard

INFOTAINMENT

Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Audio Input Terminal: Auxiliary, iPod	Standard	Standard	Standard
USB Port (Music Playback and Device Link)	-	-	Front
USB Charge Ports	-	-	Front & Rear
Speakers	2	2	6
Antenna	Standard	Standard	Standard

OPTIONS

Differential Lock	Available	Available	-
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	Available	Available	-
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	Available	Available	-
Sliding Rear Window	Available	Available	-
Fixed Rear Window with Defogger	-	-	Available
Black Partial Leather Seats – Driver 6-Way Manual Adjustment	Available	Available	Available
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available	-
Speakers	Available (x 4)	Available (x 4)	-
Metallic Paint	Available	Available	Available

WARRANTY & SERVICE INTERVALS

Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

300 LX

300 LX ⁽¹⁾

4X2 M/T	4X2 A/T	4X2 A/T	4X4 M/T	4X4 M/T
Tilt	Tilt	Tilt	Tilt	Tilt
Leather	Leather	Leather	Leather	Leather
Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Cloth	Cloth	Cloth	Cloth	Cloth
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard	Standard	Standard
Chrome	Chrome	Chrome	Chrome	Chrome
Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard	Standard
Passenger	Passenger	Passenger	Passenger	Passenger
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard	Standard
Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer
Sliding	Sliding	Sliding	Sliding	Sliding
Standard	Standard	Standard	Standard	Standard
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard	Standard	Standard
Front	Front	Front	Front	Front
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
6	6	6	6	6
Standard	Standard	Standard	Standard	Standard
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
Available	Available	Available	Available	Available
Available	Available	Available	Available	Available
-	-	-	-	-
-	-	-	-	-
Available	Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km





**THERE'S
WORK
TO DO**

ISUZU

With you, for the long run

Notes:

(1) Available midyear 2020.

The information herein is provided as a guide only. Specification is subject to change at any time.

Please contact your nearest dealer to confirm current specification.

Errors & Omissions Excepted. Model/s shown may differ. Date of issue May 2020.